



قسم الأمراض الجلدية والتناسلية وطب الذكورة



اختبار أعمال السنة لطلبة السنة الخامسة طب

للعام الجامعي 2018/2017م

المجموعة:

اسم الطالب:

الزمن المخصص: 15 دقيقة

التاريخ: 25/ 10/ 2017 م

1-The most common complications of herpes zoster is:

- a) Post- herpetic neuralgia.
- b) Anesthesia in the involved dermatome.
- c) Ophthalmic zoster with direct access to intraocular structures.
- d) Motor paralysis.

2. Scutula is characteristic of infection with:

- a) Trichophyton violaceum.
- b) Trichophyton rubrum.
- c) Trichophyton schoenleinii.
- d) Microsporum audouinii.

3. Scabies in adults involves the following body sites EXCEPT:

- a) Flexures.
- b) Genitalia.
- c) Buttocks.
- d) Upper back.

4. Acne vulgaris is:

- a) Cured by topical steroids.
- b) An infectious disease.
- c) Treated by retinoids in its nodulocystic forms.
- d) A disease affecting skin and mucous membranes.

5. The course of a patch of alopecia areata is:

- a) Stationary.
- b) Gradual extension.
- c) Unpredictable.
- d) Appearance of further patches simultaneously in any part of the scalp.

6. Psoriasis may be manifested clinically by all the following EXCEPT:

- a) Erythroderma.
- b) Pustular lesions.
- c) Arthropathy.
- d) Bullous lesions.

7. All of the following are signs of discoid lupus erythematosus EXCEPT:

- a) Telangiectasia.
- b) Stippling.
- c) Scarring.
- d) Pustulation.

8- Secondary syphilis:

- a) Typically causes a pruritic, maculopapular rash.
- b) Is a cause of alopecia
- c) Classically is associated with aphthous ulceration in mouth.
- d) Is manifested by regional lymphadenopathy.

9. All of the following statements about gonorrhoea in the adult females are true except:

- a) The condition is asymptomatic in 50% of cases.
- b) Vulva and vagina are sites of infection.
- c) Metastatic complications are similar to those in males.
- d) Urethra and cervix are sites of infection.

10. Aspermia means:

- a) No ejaculate.
- b) Semen volume less than 2 ml.
- c) Sperm concentration less than $20 \times 10^6 / \text{ml}$.
- d) No spermatozoa in the ejaculate after centrifugation.