



قسم الأمراض الجلدية والتناسلية وطب الذكورة

اختبار أعمال السنة لطلبة السنة الخامسة طب للعام الجامعي 2019/2018م

المجموعة:

اسم الطالب:

التاريخ: 2019-7-3

الزمن المخصص: 20 دقيقة

Choose one answer only (half degree for each question):

1- All of these are primary skin lesions except:

- a) Papule
- b) Nodule
- c) Ulcer
- d) Patch

2- Parakeratosis means :

- a) Increase the thickness of the horny cell layer
- b) Increase the thickness of prickle cell layer
- c) Increase the thickness of squamous cell layer
- d) None of the above

3- Which is false about erythrasma:

- a) Caused by corynebacterium minutissimum
- b) Common on the shin of the tibia
- c) Common in diabetic patients
- d) Gives coral red fluorescence

4- All are false about lupus vulgaris except:

- a) Occur in patient with low degree of immunity
- b) Less common type of cutaneous tuberculosis
- c) Appear clinically as reddish scaly patch
- d) Healed by unhealthy scar

5- The average number of mites in patients with classic scabies is:

- a) 1-5
- b) 10-15
- c) 50-60
- d) 100-150

6- Iris lesion is characteristic of:

- a) Erythema nodosum.
- b) Erythema multiforme.
- c) Pityriasis rosea.
- d) None of the above.

7. Cicatricial alopecia is caused by one of the following:

- a. SLE.
- b. Cytotoxic drugs.
- c. Hypothyroidism.
- d. DLE.

8. Male patient complained of multiple genital painful ulcers. The following could be the cause except:

- a. Chancroid.
- b. Chancre.
- c. Genital herpes.
- d. Behcet's disease

9- In the intracavernosal therapy for erectile dysfunction we can use:

- a) Yohimbine
- b) Sildenafil citrate
- c) Apomorphine
- d) Prostaglandin E1

10- The semen analysis of male infertile patient included semen volume 2.5 ml, sperm concentration 25×10^6 /ml, total sperm motility 60%, sperm abnormal forms 30% with pus cells 0.5 million/ml. your final diagnosis of the semen report will be:

- a) Astheno- teratozoospermia.
- b) Teratozoospermia with pyospermia.
- c) Teratozoospermia.
- d) Normal semen analysis.

Good luck